Available online at www.sciencedirect.com
ScienceDirect
Aquaculture
ELSEVIER
Aquaculture 260 (2006) 375–377
www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 260

VOL. 260 NOS. 1–4 **29 September 2006**

Diseases

Immunization of grouper, *Epinephelus coioides*, confers protection against a protozoan parasite, *Cryptocaryon irritans*
A.V. Yambot (Taipei, Taiwan; Nueva Ecija, Philippines) and Y.-L. Song (Taipei, Taiwan). 1

Vibrio harveyi and other bacterial pathogens in cultured summer flounder, *Paralichthys dentatus*
E. Gauger (Kingston, RI, USA), R. Smolowitz, K. Uhlinger (Woods Hole, MA, USA), J. Casey and M. Gómez-Chiarri (Kingston, RI, USA). 10

Preliminary analysis of recombinant ß-tubulin of *Pseudocohnilembus persalinus* (Ciliophora: Scuticociliatida) as a vaccine antigen candidate against scuticociliatosis
S.M. Kim, E.H. Lee, S.R. Kwon, S.J. Lee, S.K. Kim, Y.K. Nam and K.H. Kim (Pusan, Korea) 21

Biofilm development within a larval rearing tank of the tropical rock lobster, *Panulirus ornatus*
D.G. Bourne, L. Høj, N.S. Webster, J. Swan and M.R. Hall (Townsville, QLD, Australia) 27

Increased resistance to white spot syndrome virus in *Procambarus clarkii* by injection of envelope protein VP28 expressed using recombinant baculovirus
H. Du, Z. Xu, X. Wu, W. Li and W. Dai (Hangzhou, PR China). 39

Experimental transmission of *Enteromyxum leei* Diamant, Lom and Dykova, 1994 in sharpsnout sea bream, *Diplodus puntazzo* C. and the effect on some innate immune parameters
E. Golomazou, F. Athanassopoulou (Karditsa, Greece), E. Karagouni, P. Tsagozis (Athens, Greece), H. Tsantilas and S. Vagianou (Karditsa, Greece) 44

Presence of snapper, seabass, and siganid inhibits growth of luminous bacteria in a simulated shrimp culture system
E.A. Tendencia, M.R. dela Peña and C.H. Choresca Jr. (Iloilo, Philippines) 54

Structure and function of antimicrobial peptide penaeidin-5 from the black tiger shrimp *Penaeus monodon*
S.-Y. Hu, J.-H. Huang, W.-T. Huang, Y.-H. Yeh (Taipei, Taiwan), M.H.-C. Chen (Taichung, Taiwan), H.-Y. Gong (Taipei, Taiwan), T.-T. Chiou (Keelung, Taiwan), T.-H. Yang (Taipei, Taiwan), T.T. Chen (Storrs, CT, U.S.A.), J.-K. Lu (Keelung, Taiwan) and J.-L. Wu (Taipei, Taiwan). 61

Pharmacokinetics and the active metabolite of enrofloxacin in Chinese mitten-handed crab (*Eriocheir sinensis*)
J. Tang, X.-l. Yang, Z.-l. Zheng, W.-j. Yu, K. Hu and H.-j. Yu (Shanghai, PR China) 69

The molecular detection of Taura syndrome virus emerging with White spot syndrome virus in penaeid shrimps of Thailand
S. Phalitakul, J. Wongtawatchai, M. Sarikaputi and N. Viseshakul (Bangkok, Thailand) 77

Husbandry and Management

Effects of illumination on early life development and digestive enzyme activities in common pandora *Pagellus erythrinus* L. larvae
C. Suzer, Ş. Saka and K. Fırat (Izmir, Turkey) 86

Effects of starvation and recovery on the survival, growth and RNA/DNA ratio in loliginid squid paralarvae
É.A.G. Vidal, P. DiMarco and P. Lee (Galveston, TX, USA) 94

Review of rice–fish-farming systems in China—One of the Globally Important Ingenious Agricultural Heritage Systems (GIAHS)
J. Lu and X. Li (Hangzhou, PR China) 106

Stocking density and shelter type for the optimal growth and survival of western rock lobster *Panulirus cygnus* (George)
D. Johnston, R. Melville-Smith, B. Hendriks, G.B. Maguire (North Beach, Western Australia) and B. Phillips (Western Australia) 114

Off flavor characterization and origin in French trout farming
J. Robin (Lyon Cedex, France), J.-P. Cravedi, A. Hillenweck (Toulouse Cedex, France), C. Deshayes (Paris, France) and D. Vallod (Lyon Cedex, France) 128
Survival of *Clarias gariepinus* fry in earthen ponds: Effects of composts and leaks
S. Yong-Sulem (Foumban, Cameroon), E.T. Tomedi (Dschang, Cameroon), S. Mounchili, S. Tekeng (Foumban, Cameroon) and R.E. Brummett (Yaounde, Cameroon) 139
Effects of chloramphenicol, erythromycin, and furazolidone on growth of *Isochrysis galbana* and *Chaetoceros gracilis*
A.I. Campa-Córdova (La Paz, Mexico), A. Luna-González (Sinaloa, Mexico), F. Ascencio, E. Cortés-Jacinto and C.J. Cáceres-Martínez (La Paz, Mexico). 145
The effects of salinity on the survival, growth and haemolymph osmolality of early juvenile blue swimmer crabs, *Portunus pelagicus*
N. Romano and C. Zeng (Townsville, QLD, Australia) 151
Environmental effects of the anti-sea lice (Copepoda: Caligidae) therapeutant emamectin benzoate under commercial use conditions in the marine environment
T.C. Telfer, D.J. Baird (Stirling, UK), J.G. McHenery (Scotland, UK), J. Stone (Stirling, UK), I. Sutherland (Edinburgh, UK) and P. Wislocki (Lafayette, NJ, USA) 163
A soft technology to improve survival and reproductive performance of *Litopenaeus stylirostris* by counterbalancing physiological disturbances associated with handling stress
N. Wabete (Nouméa, New Caledonia; Arcachon, France), L. Chim, D. Pham, P. Lemaire (Nouméa, New Caledonia) and J.-C. Massabuau (Arcachon, France) 181
Effect of gelatinization degree and inclusion level of dietary starch on the characteristics of digesta and faeces in Nile tilapia (*Oreochromis niloticus* (L.))
A.K. Amirkolaie, J.A.J. Verreth and J.W. Schrama (Wageningen, The Netherlands) 194

Nutrition

Effects of six alternative lipid sources on growth and tissue fatty acid composition in Japanese sea bass (*Lateolabrax japonicus*)
M. Xue, L. Luo, X. Wu, Z. Ren, P. Gao (Beijing, P.R. China), Y. Yu (Hong Kong) and G. Pearl (USA) 206
Substitution of Chaetoceros muelleri by *Spirulina platensis* meal in diets for *Litopenaeus schmitti* larvae
B.J. Jaime-Ceballos (Ciudad de la Habana, Cuba), A. Hernández-Llamas (La Paz, México), T. Garcia-Galano (Miramar Ciudad de la Habana, Cuba) and H. Villarreal (La Paz, México). 215
Effect of fish-meal replacement with poultry by-product meal on the growth, tissue composition and hematological parameters of largemouth bass (*Micropterus salmoides*) fed diets containing different lipids
B. Subhadra, R. Lochmann (AR, United States), S. Rawles (Stuttgart, AR, United States) and R. Chen (AR, United States). 221
Egg quality criteria in common dentex (*Dentex dentex*)
G. Giménez, A. Estévez (Tarragona, Spain), F. Lahnsteiner, B. Zecevic (Salzburg, Austria), J.G. Bell, R.J. Henderson (Scotland, UK), J.A. Piñera and J.A. Sanchez-Prado (Oviedo, Spain) 232
Behavioral response to selected feed attractants and stimulants in Pacific white shrimp, *Litopenaeus vannamei*
A.J.P. Nunes, M.V.C. Sá, F.F. Andriola-Neto (Ceará, Brazil) and D. Lemos (São Paulo, Brazil) 244
Replacement of fish meal by meat and bone meal in diets for large yellow croaker, *Pseudosciaena crocea*
Q. Ai, K. Mai, B. Tan, W. Xu, Q. Duan, H. Ma and L. Zhang (Qingdao, PR China). 255
Ontogenetic development of digestive enzymes in yellowtail kingfish *Seriola lalandi* larvae
B.N. Chen, J.G. Qin (Adelaide SA, Australia), M.S. Kumar, W.G. Hutchinson and S.M. Clarke (Henley Beach SA, Australia) . . . 264
Comparison of early life history stages of the bay scallop, *Argopecten irradians*: Effects of microalgal diets on growth and biochemical composition
L.M. Milke, V.M. Bricelj (Halifax, NS, Canada) and C.C. Parrish (St. John's, NL, Canada) 272

Physiology and Endocrinology

An improved enzyme preparation for rapid mass production of protoplasts as seed stock for aquaculture of macrophytic marine green algae
C.R.K. Reddy (Bhavnagar, India), S. Dipakkore, G.R. Kumar, B. Jha, D.P. Cheney (Boston, MA, USA) and Y. Fujita (Nagasaki, Japan) 290
Extenders and cryoprotectants for cooling and freezing of piracanjuba (*Brycon orbignyanus*) semen, an endangered Brazilian teleost fish
A.N. Maria, A.T.M. Viveiros, R.T.F. Freitas and A.V. Oliveira (Lavras, Brazil). 298
Involvement of trypsin and chymotrypsin activities in Atlantic cod (*Gadus morhua*) embryogenesis
H. Sveinsdóttir (Reykjavik, Iceland), H. Thorarensen (Saudárkrókur, Iceland) and Á. Gudmundsdóttir (Reykjavik, Iceland) 307
Serotonin induces ovarian maturation in giant freshwater prawn broodstock, *Macrobrachium rosenbergii* de Man
P. Meeratana (Chonburi, Thailand), B. Withyachumnarnkul, P. Damrongphol, K. Wongprasert, A. Suseangtham and P. Sobhon (Bangkok, Thailand) 315

Distinct temporal patterns of Transaldolase 1 gene expression in future migratory and sedentary brown trout (*Salmo trutta*)
U. Amstutz, T. Giger (Bern, Switzerland), A. Champigneulle (Thonon-les-Baines, France), P.J.R. Day (Manchester, UK) and C.R. Largiadèr (Bern, Switzerland) 326
Energy balance of *Litopenaeus vannamei* postlarvae fed on animal or vegetable protein based compounded feeds
L. Jiménez-Yan (Tabasco, México), A. Brito (Yucatán, México), G. Cuzon (COP-Tahiti, France), G. Gaxiola, T. García, G. Taboada (Yucatán, México), L.A. Soto (UNAM, México) and R. Brito (Campeche, México) 337
Thyroid gland development in Senegalese sole (*Solea senegalensis* Kaup 1858) during early life stages: A histochemical and immunohistochemical approach
J.B. Ortiz-Delgado (Cádiz, Spain), N.M. Ruane (Faro, Portugal), P. Pousão-Ferreira (Olhão, Portugal), M.T. Dinis (Faro, Portugal) and C. Sarasquete (Cádiz, Spain) 346
Ontogeny of the digestive tract in shi drum (*Umbrina cirrosa* L.) reared using the mesocosm larval rearing system
M.M. Zaiss (Crete, Greece; Heidelberg ,Germany), I.E. Papadakis, E. Maingot, P. Divanach and C.C. Mylonas (Crete, Greece). 357

Short Communication
Evidences of the intertidal red alga *Grateloupia turuturu* in turning *Vibrio parahaemolyticus* into non-culturable state in the presence of light
S.J. Pang (China), T. Xiao (Qingdao, China), T.F. Shan (China), Z.F. Wang (Qingdao, China) and S.Q. Gao (China). 369

Contents of *Aquaculture*, Volume 260. 375

Contents (continued)

Pharmacokinetics and the active metabolite of enrofloxacin in Chinese mitten-handed crab (*Eriocheir sinensis*)
J. Tang, X.-l. Yang, Z.-l. Zheng, W.-j. Yu, K. Hu and H.-j. Yu (Shanghai, PR China) 69
The molecular detection of Taura syndrome virus emerging with White spot syndrome virus in penaeid shrimps of Thailand
S. Phalitakul, J. Wongtawatchai, M. Sarikaputi and N. Viseshakul (Bangkok, Thailand) 77

Husbandry and Management
Effects of illumination on early life development and digestive enzyme activities in common pandora *Pagellus erythrinus* L. larvae
C. Suzer, Ş. Saka and K. Fırat (Izmir, Turkey) 86
Effects of starvation and recovery on the survival, growth and RNA/DNA ratio in loliginid squid paralarvae
É.A.G. Vidal, P. DiMarco and P. Lee (Galveston, TX, USA) 94
Review of rice–fish-farming systems in China—One of the Globally Important Ingenious Agricultural Heritage Systems (GIAHS)
J. Lu and X. Li (Hangzhou, PR China) 106
Stocking density and shelter type for the optimal growth and survival of western rock lobster *Panulirus cygnus* (George)
D. Johnston, R. Melville-Smith, B. Hendriks, G.B. Maguire (North Beach, Western Australia) and B. Phillips (Western Australia) 114
Off flavor characterization and origin in French trout farming
J. Robin (Lyon Cedex, France), J.-P. Cravedi, A. Hillenweck (Toulouse Cedex, France), C. Deshayes (Paris, France) and D. Vallod (Lyon Cedex, France) 128
Survival of *Clarias gariepinus* fry in earthen ponds: Effects of composts and leaks
S. Yong-Sulem (Foumban, Cameroon), E.T. Tomedi (Dschang, Cameroon), S. Mounchili, S. Tekeng (Foumban, Cameroon) and R.E. Brummett (Yaounde, Cameroon) 139
Effects of chloramphenicol, erythromycin, and furazolidone on growth of *Isochrysis galbana* and *Chaetoceros gracilis*
A.I. Campa-Córdova (La Paz, Mexico), A. Luna-González (Sinaloa, Mexico), F. Ascencio, E. Cortés-Jacinto and C.J. Cáceres-Martínez (La Paz, Mexico) 145
The effects of salinity on the survival, growth and haemolymph osmolality of early juvenile blue swimmer crabs, *Portunus pelagicus*
N. Romano and C. Zeng (Townsville, QLD, Australia) 151
Environmental effects of the anti-sea lice (Copepoda: Caligidae) therapeutant emamectin benzoate under commercial use conditions in the marine environment
T.C. Telfer, D.J. Baird (Stirling, UK), J.G. McHenery (Scotland, UK), J. Stone (Stirling, UK), I. Sutherland (Edinburgh, UK) and P. Wislocki (Lafayette, NJ, USA) 163
A soft technology to improve survival and reproductive performance of *Litopenaeus stylirostris* by counterbalancing physiological disturbances associated with handling stress
N. Wabete (Nouméa, New Caledonia; Arcachon, France), L. Chim, D. Pham, P. Lemaire (Nouméa, New Caledonia) and J.-C. Massabuau (Arcachon, France) 181
Effect of gelatinization degree and inclusion level of dietary starch on the characteristics of digesta and faeces in Nile tilapia (*Oreochromis niloticus* (L.))
A.K. Amirkolaie, J.A.J. Verreth and J.W. Schrama (Wageningen, The Netherlands) 194

Nutrition
Effects of six alternative lipid sources on growth and tissue fatty acid composition in Japanese sea bass (*Lateolabrax japonicus*)
M. Xue, L. Luo, X. Wu, Z. Ren, P. Gao (Beijing, P.R. China), Y. Yu (Hong Kong) and G. Pearl (USA) . . . 206
Substitution of Chaetoceros muelleri by *Spirulina platensis* meal in diets for *Litopenaeus schmitti* larvae
B.J. Jaime-Ceballos (Ciudad de la Habana, Cuba), A. Hernández-Llamas (La Paz, México), T. Garcia-Galano (Miramar Ciudad de la Habana, Cuba) and H. Villarreal (La Paz, México) 215
Effect of fish-meal replacement with poultry by-product meal on the growth, tissue composition and hematological parameters of largemouth bass (*Micropterus salmoides*) fed diets containing different lipids
B. Subhadra, R. Lochmann (AR, United States), S. Rawles (Stuttgart, AR, United States) and R. Chen (AR, United States) 221
Egg quality criteria in common dentex (*Dentex dentex*)
G. Giménez, A. Estévez (Tarragona, Spain), F. Lahnsteiner, B. Zecevic (Salzburg, Austria), J.G. Bell, R.J. Henderson (Scotland, UK), J.A. Piñera and J.A. Sanchez-Prado (Oviedo, Spain) 232
Behavioral response to selected feed attractants and stimulants in Pacific white shrimp, *Litopenaeus vannamei*
A.J.P. Nunes, M.V.C. Sá, F.F. Andriola-Neto (Ceará, Brazil) and D. Lemos (São Paulo, Brazil) 244

Contents (continued)

Replacement of fish meal by meat and bone meal in diets for large yellow croaker, *Pseudosciaena crocea*
Q. Ai, K. Mai, B. Tan, W. Xu, Q. Duan, H. Ma and L. Zhang (Qingdao, PR China) 255
Ontogenetic development of digestive enzymes in yellowtail kingfish *Seriola lalandi* larvae
B.N. Chen, J.G. Qin (Adelaide SA, Australia), M.S. Kumar, W.G. Hutchinson and S.M. Clarke (Henley Beach SA, Australia) 264
Comparison of early life history stages of the bay scallop, *Argopecten irradians*: Effects of microalgal diets on growth and biochemical composition
L.M. Milke, V.M. Bricelj (Halifax, NS, Canada) and C.C. Parrish (St. John's, NL, Canada) 272

Physiology and Endocrinology

An improved enzyme preparation for rapid mass production of protoplasts as seed stock for aquaculture of macrophytic marine green algae
C.R.K. Reddy (Bhavnagar, India), S. Dipakkore, G.R. Kumar, B. Jha, D.P. Cheney (Boston, MA, USA) and Y. Fujita (Nagasaki, Japan) 290
Extenders and cryoprotectants for cooling and freezing of piracanjuba (*Brycon orbignyanus*) semen, an endangered Brazilian teleost fish
A.N. Maria, A.T.M. Viveiros, R.T.F. Freitas and A.V. Oliveira (Lavras, Brazil) 298
Involvement of trypsin and chymotrypsin activities in Atlantic cod (*Gadus morhua*) embryogenesis
H. Sveinsdóttir (Reykjavik, Iceland), H. Thorarensen (Saudárkrókur, Iceland) and Á. Gudmundsdóttir (Reykjavik, Iceland) 307
Serotonin induces ovarian maturation in giant freshwater prawn broodstock, *Macrobrachium rosenbergii* de Man
P. Meeratana (Chonburi, Thailand), B. Withyachumnarnkul, P. Damrongphol, K. Wongprasert, A. Suseangtham and P. Sobhon (Bangkok, Thailand) 315
Distinct temporal patterns of Transaldolase 1 gene expression in future migratory and sedentary brown trout (*Salmo trutta*)
U. Amstutz, T. Giger (Bern, Switzerland), A. Champigneulle (Thonon-les-Baines, France), P.J.R. Day (Manchester, UK) and C.R. Largiadèr (Bern, Switzerland) 326
Energy balance of *Litopenaeus vannamei* postlarvae fed on animal or vegetable protein based compounded feeds
L. Jiménez-Yan (Tabasco, México), A. Brito (Yucatán, México), G. Cuzon (COP-Tahiti, France), G. Gaxiola, T. García, G. Taboada (Yucatán, México), L.A. Soto (UNAM, México) and R. Brito (Campeche, México) 337
Thyroid gland development in Senegalese sole (*Solea senegalensis* Kaup 1858) during early life stages: A histochemical and immunohistochemical approach
J.B. Ortiz-Delgado (Cádiz, Spain), N.M. Ruane (Faro, Portugal), P. Pousão-Ferreira (Olhão, Portugal), M.T. Dinis (Faro, Portugal) and C. Sarasquete (Cádiz, Spain) 346
Ontogeny of the digestive tract in shi drum (*Umbrina cirrosa* L.) reared using the mesocosm larval rearing system
M.M. Zaiss (Crete, Greece; Heidelberg ,Germany), I.E. Papadakis, E. Maingot, P. Divanach and C.C. Mylonas (Crete, Greece) 357

Short Communication

Evidences of the intertidal red alga *Grateloupia turuturu* in turning *Vibrio parahaemolyticus* into non-culturable state in the presence of light
S.J. Pang (China), T. Xiao (Qingdao, China), T.F. Shan (China), Z.F. Wang (Qingdao, China) and S.Q. Gao (China) 369

Contents of *Aquaculture*, Volume 260 375